

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	18	(ip adj address\$3 same public same private same based) and @ad<"20000118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 10:28
L3	215	(ip adj address\$3 with depend\$4) and @ad<"20000118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 10:28
L4	115	(ip adj address\$3 with depend\$4) and lan and @ad<"20000118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 10:28
S1	6	("5600644" "5751971" "5920699" "6130892" "6157644" "6172981").PN.	USPAT	OR	OFF	2004/07/08 15:51
S2	0	"370""."399".ccls. and ((local LAN) with ip with address).ab. and @ad<"20000118"	USPAT	OR	OFF	2004/07/08 16:01
S3	0	370/399.ccls. and ((local LAN) with ip with address).ab. and @ad<"20000118"	USPAT	OR	OFF	2004/07/08 16:01
S4	255	370/399.ccls. and @ad<"20000118"	USPAT	OR	OFF	2004/07/08 16:04
S5	24	370/399.ccls. and Ip adj address and @ad<"20000118"	USPAT	OR	OFF	2004/07/08 18:59
S6	1	"6154839".pn.	USPAT	OR	OFF	2004/07/08 17:47
S7	364	adsl and atu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/08 18:58
S8	17	("709"/\$.ccls "370"/\$.ccls.) and adsl and atu and Ip adj address and @ad<"20000118"	USPAT	OR	OFF	2004/07/08 18:59
S9	451	709/245.ccls.	USPAT	OR	OFF	2002/11/12 10:23
S10	3560	709/228,250,249,241,238,239,244,223,220,245.ccls.	USPAT	OR	OFF	2002/11/07 16:30
S11	1	"709"/("241" and "245").ccls.	USPAT	OR	OFF	2002/11/12 16:42
S12	4	709/241.ccls. and 709/245.ccls.	USPAT	OR	OFF	2002/11/12 16:43
S13	110	709/245.ccls. and gateway	USPAT	OR	OFF	2002/11/07 17:25
S14	102	(709/245.ccls. and gateway) and address	USPAT	OR	OFF	2002/11/07 17:25

S15	3	(IP adj2 address) with re\$1number\$3	USPAT	OR	OFF	2002/11/12 10:23
S16	52	(IP adj2 address) with (re\$1number\$3 substitut\$3)	USPAT	OR	OFF	2003/04/21 15:18
S17	18	gateway and virtual near2 IP adj address	USPAT	OR	OFF	2002/11/12 16:49
S18	0	"6366558".URPN.	USPAT	OR	OFF	2002/11/12 11:10
S19	7	("5546452" "5668986" "5774660" "5809265" "5819020" "5917997" "5918017").PN.	USPAT	OR	OFF	2002/11/12 11:10
S20	3	"6249801".URPN.	USPAT	OR	OFF	2002/11/12 11:22
S21	1	"709"/("244" and "245").ccls.	USPAT	OR	OFF	2003/12/17 16:42
S22	0	709/24.ccls. and 709/245.ccls.	USPAT	OR	OFF	2002/11/12 16:43
S23	6	709/244.ccls. and 709/245.ccls.	USPAT	OR	OFF	2002/11/12 16:43
S24	28	gateway and (substitut\$3 virtual) near2 IP adj address	USPAT	OR	OFF	2003/04/21 15:17
S25	83	gateway and (substitut\$3 virtual) with IP adj address	USPAT	OR	OFF	2005/05/05 11:25
S26	8	"6157950".URPN.	USPAT	OR	OFF	2002/11/13 10:50
S27	8	("4627052" "5142622" "5371852" "5490252" "5517618" "5598536" "5758194" "5845079").PN.	USPAT	OR	OFF	2002/11/13 10:50
S28	5	dhcp same nat	USPAT	OR	OFF	2002/11/13 11:12
S29	17	hierarchical with IP adj address	USPAT	OR	OFF	2002/11/13 13:09
S30	121	gateway same subnet	USPAT	OR	OFF	2002/11/13 13:09
S31	129	gateway same sub\$1net	USPAT	OR	OFF	2002/11/13 13:09
S32	78	gateway same sub\$1net same (IP near2 address\$3)	USPAT	OR	OFF	2002/11/13 13:10
S33	9	(gateway same sub\$1net) and 709/245.ccls.	USPAT	OR	OFF	2002/11/13 13:13
S34	7	dhcp and sub\$1net and gateway and 709/245.ccls.	USPAT	OR	OFF	2002/11/13 13:24
S35	0	dhcp and (sub\$1net adj address) and gateway and (atu adsl)	USPAT	OR	OFF	2002/11/13 13:40
S36	1	dhcp and (sub\$1net same (ANDing "AND"))	USPAT	OR	OFF	2002/11/13 15:05
S37	26	sub\$1net same (ANDing "AND")	USPAT	OR	OFF	2002/11/13 13:42
S38	9	"6070187".URPN.	USPAT	OR	OFF	2002/11/13 14:54
S39	105	dhcp and (sub\$1net)	USPAT	OR	OFF	2002/11/13 15:24
S40	5	dhcp and (multiple with sub\$1net)	USPAT	OR	OFF	2002/11/13 15:35
S41	16	sub\$1net and (outside same (address IP) same range)	USPAT	OR	OFF	2002/11/13 15:43

S42	45	sub\$1net and dhcp and ((address IP) same range)	USPAT	OR	OFF	2002/11/13 15:43
S43	40	sub\$1net and dhcp and ((address IP) with range)	USPAT	OR	OFF	2002/11/13 16:46
S44	125	sub\$1net and (remote\$2 assign\$3) and ((address IP) with range)	USPAT	OR	OFF	2002/11/13 16:06
S45	0	sub\$1net and dhcp and ((address IP) with range)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/11/13 16:47
S46	17	(US-6425008-\$ or US-6389462-\$ or US-6374289-\$ or US-6470386-\$ or US-6466964-\$ or US-6366558-\$ or US-6249801-\$ or US-6381646-\$ or US-6182139-\$ or US-6353614-\$ or US-5598536-\$ or US-6157950-\$ or US-6473411-\$ or US-6118768-\$ or US-6070187-\$ or US-6009103-\$ or US-6141690-\$).did.	USPAT	OR	OFF	2002/11/14 09:07
S47	78	709/244.ccls.	USPAT	OR	OFF	2002/11/14 10:02
S48	15	709/244.ccls. and assign\$3 with address\$3	USPAT	OR	OFF	2002/11/14 10:55
S49	4	gateway same sub\$1net with (different another seperate)	USPAT	OR	OFF	2002/11/14 13:06
S50	9	"6070187".URPN.	USPAT	OR	OFF	2002/11/14 12:46
S51	3	("5649100" "5918016" "5920699").PN.	USPAT	OR	OFF	2002/11/14 12:46
S52	1	(default and gateway).ti.	USPAT	OR	OFF	2002/11/14 13:07
S53	82	default adj gateway	USPAT	OR	OFF	2002/11/14 13:07
S54	74	(default adj gateway) and IP adj address	USPAT	OR	OFF	2002/11/14 13:09
S55	39	((default adj gateway) and IP adj address) and sub\$1net	USPAT	OR	OFF	2002/11/14 14:04
S56	0	"6434627".URPN.	USPAT	OR	OFF	2002/11/14 13:18
S57	17	("4962532" "5159592" "5287103" "5371852" "5430715" "5477531" "5513337" "5526489" "5550984" "5622601" "5734865" "5774660" "6079020" "6141690" "6173312" "6195706" "6295276").PN.	USPAT	OR	OFF	2002/11/14 13:18

S58	0	((US-6425008-\$ or US-6389462-\$ or US-6374289-\$ or US-6470386-\$ or US-6466964-\$ or US-6366558-\$ or US-6249801-\$ or US-6381646-\$ or US-6182139-\$ or US-6353614-\$ or US-5598536-\$ or US-6157950-\$ or US-6473411-\$ or US-6118768-\$ or US-6070187-\$ or US-6009103-\$ or US-6141690-\$).did.) and adsl	USPAT	OR	OFF	2002/11/14 14:05
S59	42	gateway with adsl	USPAT	OR	OFF	2002/11/14 14:06
S60	2	gateway with atu\$1r	USPAT	OR	OFF	2002/11/14 14:05
S61	1	gateway with adsl adj modem	USPAT	OR	OFF	2002/11/14 14:06
S62	3	gateway with substituti\$3 with address\$2 and @pd>"20021113"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/21 15:18
S63	7	(IP adj2 address) with (re\$1number\$3 substitut\$3) and @pd>"20021113"	USPAT	OR	OFF	2003/12/17 16:42
S64	0	(IP adj2 address) with (unused same gateway) and @pd>"20021113"	USPAT	OR	OFF	2003/04/21 15:23
S65	1	"6295276".pn.	USPAT	OR	OFF	2003/04/21 15:23
S66	5	gateway and (substitut\$3 virtual) near2 IP adj address and @pd>"20021113"	USPAT	OR	OFF	2003/04/21 15:23
S67	14	(IP adj2 address) with (re\$1number\$3 substitut\$3) and @pd>"20030113"	USPAT	OR	OFF	2003/12/17 16:53
S68	0	"6519243".URPN.	USPAT	OR	OFF	2003/12/17 16:48
S69	5	("5303344" "6038594" "6301223" "6370571" "6397264").PN.	USPAT	OR	OFF	2003/12/17 16:48
S70	912	(gateway router access adj point) same address same local and @ad<"20000118"	USPAT	OR	OFF	2003/12/17 16:54
S71	18	(gateway router access adj point) same address same local same (substitut\$4) and @ad<"20000118"	USPAT	OR	OFF	2005/05/16 10:12
S72	9	(gateway router access adj point) same address same LAN same (substitut\$4) and @ad<"20000118"	USPAT	OR	OFF	2003/12/17 16:59

S73	5	((gateway router access adj point) same address same LAN same (substitut\$4) and @ad<"20000118") not ((gateway router access adj point) same address same local same (substitut\$4) and @ad<"20000118")	USPAT	OR	OFF	2004/07/07 14:15
S74	22	"5909441".URPN.	USPAT	OR	OFF	2003/12/17 17:08
S75	0	"6477577".URPN.	USPAT	OR	OFF	2003/12/17 18:06
S76	10	"6157950".URPN.	USPAT	OR	OFF	2003/12/17 18:09
S77	11	("5371852" "6035020" "6038594" "6091737" "6115755" "6157950" "6182141" "6185625" "6243379" "6253247" "6282193").PN.	USPAT	OR	OFF	2003/12/17 18:11
S78	183	"5371852".URPN.	USPAT	OR	OFF	2003/12/17 18:13
S79	10	"6157950".URPN.	USPAT	OR	OFF	2003/12/17 18:15
S80	183	"5371852".URPN.	USPAT	OR	OFF	2003/12/17 18:16
S81	1	"6496862".URPN.	USPAT	OR	OFF	2003/12/18 13:34
S82	54	("4423414" "4644468" "4677588" "4800384" "5086385" "5195092" "5224205" "5283819" "5289461" "5325423" "5341374" "5371852" "5408619" "5412720" "5434914" "5434974" "5442630" "5463736" "5493638" "5515511" "5517618" "5528507" "5535336" "5546549" "5561709" "5579308" "5579486" "5581461" "5586261" "5608447" "5617539" "5634010" "5675390" "5689641" "5694334" "5712688" "5722041" "5724106" "5729689" "5734589" "5745909" "5752246" "5754548" "5758084" "5856974" "6044403" "6073176" "6081533" "6122758" "6131119" "6170057" "6202210" "6219697" "6233611").PN.	USPAT	OR	OFF	2003/12/18 13:34
S83	26	"6131119".URPN.	USPAT	OR	OFF	2003/12/18 13:38
S84	2	"6301612".URPN.	USPAT	OR	OFF	2003/12/18 13:48

S85	9	("5446897" "5579511" "5867713" "5968116" "6026438" "6058445" "6088451" "6131119" "6148355").PN.	USPAT	OR	OFF	2003/12/18 13:48
S86	11	"5446897".URPN.	USPAT	OR	OFF	2003/12/18 13:49
S87	35	"5856974".URPN.	USPAT	OR	OFF	2003/12/18 18:55
S88	35	"5856974".URPN.	USPAT	OR	OFF	2003/12/18 18:55
S89	14	"6006272".URPN.	USPAT	OR	OFF	2003/12/18 18:59
S90	13	("5426637" "5623601" "5636216" "5751971" "5757924" "5781550" "5793763" "5802047" "5802053" "5802285" "5835710" "5856974" "5862344").PN.	USPAT	OR	OFF	2003/12/18 20:20
S91	84	"5793763".URPN.	USPAT	OR	OFF	2003/12/18 21:05
S92	81	address with prevent\$3 near4 (external wan) and @ad<"20000118"	USPAT	OR	OFF	2003/12/19 11:02
S93	11	"192.168.0.0" and @ad<"20000118"	USPAT	OR	OFF	2003/12/19 11:03
S94	9	((gateway router access adj point) same address same LAN same (substitut\$4) and @ad<"20000118")	USPAT	OR	OFF	2005/05/05 15:27
S95	38	((gateway router access adj point) same address same (network LAN) same (substitut\$4) and @ad<"20000118")	USPAT	OR	OFF	2004/07/07 14:17
S96	22	"6006272".URPN.	USPAT	OR	OFF	2004/07/07 14:45
S97	0	"709"."228" and "235" and "244" and "245").ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/07 15:35
S98	0	"709""."228".ccls. and "709"". ""235".ccls. and "709""."244". ccls. and "709""."245".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/07 15:36
S99	0	"709""."235".ccls. and "709"". ""244".ccls. and "709""."245". ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/07 15:36

S10 0	0	"709""."244".ccls. and "709"". ""245".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/07 15:36
S10 1	0	709/228.ccls. and 709/235.ccls. and 709/244.ccls. and 709/245. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/07 15:36
S10 2	8	709/244.ccls. and 709/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/07 15:36
S10 3	5	"6381646".URPN.	USPAT	OR	OFF	2004/07/07 15:37
S10 4	2	"6128664".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/08 09:50
S10 5	12	"6128664".URPN.	USPAT.	OR	OFF	2004/07/08 09:50
S10 6	2	"6510154".URPN.	USPAT	OR	OFF	2004/07/08 09:58
S10 7	113	(translat\$3 with (local LAN) with ip with address) and @ad<"20000118"	USPAT	OR	OFF	2004/07/08 16:01
S10 8	25	gateway and (substitut\$3 virtual) with IP adj address and @ad<"20000118" and @pd>"20040101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:32
S10 9	0	wan near3 IP near2 address\$3 same (based dependen\$4) same LAN near3 IP near2 address\$2 and @ad<"20000118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:33
S11 0	1	wan near3 IP near2 address\$3 same (based dependen\$4) same LAN and @ad<"20000118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:35
S11 1	7	wan near3 IP near2 address\$3 same (based dependen\$4) same LAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:33

S11 2	11	IP adj address\$3 same (based dependen\$4) same LAN near2 IP adj address\$2 and @ad<"20000118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:39
S11 3	8	assign\$4 near4 IP adj address\$3 same (dhcp) same LAN near2 IP adj address\$2 and @ad<"20000118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 14:41
S11 4	0	sub adj network near4 IP adj address\$3 same (dhcp) same LAN and @ad<"20000118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 14:42
S11 5	0	sub adj network near4 IP adj address\$3 same (dhcp) same LAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 14:42
S11 6	0	sub\$1network near4 IP adj address\$3 same (dhcp) same LAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 14:42
S11 7	8	sub\$1network near4 IP adj address\$3 same (dhcp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 14:42
S11 8	1	sub\$1network near4 IP adj address\$3 same (dhcp) and @ad<"20000118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 14:43
S11 9	42	dhcp.ab. and @ad<"20000118"	USPAT	OR	OFF	2005/05/05 15:28
S12 0	55	("5922049").URPN.	USPAT	OR	OFF	2005/05/05 17:08
S12 1	0	("658074").URPN.	USPAT	OR	OFF	2005/05/05 17:08
S12 2	4	("6578074").URPN.	USPAT	OR	OFF	2005/05/05 17:08
S12 3	1	("6578074").PN.	USPAT	OR	OFF	2005/05/05 17:08